



New Hampshire Medicaid Fee-for-Service Program Prior Authorization Drug Approval Form

Lyfgenia™ (lovotibeglogene autotemcel)

DATE OF MEDICATION REQUEST: / /

SECTION I: PATIENT INFORMATION AND MEDICATION REQUESTED

LAST NAME:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

FIRST NAME:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

MEDICAID ID NUMBER:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

DATE OF BIRTH:

				-					-						
--	--	--	--	---	--	--	--	--	---	--	--	--	--	--	--

GENDER: Male Female

Drug Name:

Strength:

Dosing Directions:

Length of Therapy:

SECTION II: PRESCRIBER INFORMATION

LAST NAME:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

FIRST NAME:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

SPECIALTY:

NPI NUMBER:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

PHONE NUMBER:

				-					-						
--	--	--	--	---	--	--	--	--	---	--	--	--	--	--	--

FAX NUMBER:

				-					-						
--	--	--	--	---	--	--	--	--	---	--	--	--	--	--	--

SECTION III: CLINICAL HISTORY

1. Has the patient been diagnosed with sickle cell disease as determined by 1 of the following?

(Check all that apply.)

Significant quantities of HbS with or without abnormal β -globin chain variant by hemoglobin assay

Biallelic HBB pathogenic variants where 1 or more allele is p.Glu6Val by molecular genetic testing

2. Does the patient have disease with more than 2 α – globin gene deletions?

Yes No

3. Does the patient have symptomatic disease during treatment with hydroxyurea and add-on therapy (e.g., crizanlizumab, voxelotor)?

Yes No

4. Has the patient experienced 2 or more vaso-occlusive events or crises in the last 12 months?

Yes No

5. Has the patient received any other gene therapy?

Yes No

6. Will the patient receive transfusions to target Hb of 8–10 g/dL and HbS less than 30% prior to apheresis and myeloablative conditioning?

Yes No

Fax to DHHS; medication is administered in inpatient setting:

Phone: 1-603-271-9384

Fax: 1-603-314-8101

© 2024 by Magellan Rx Management, LLC. All rights reserved.

Review Date: 07/01/2024



New Hampshire Medicaid Fee-for-Service Program Prior Authorization Drug Approval Form

Lyfgenia™ (lovotibeglogene autotemcel)

DATE OF MEDICATION REQUEST: / /

PATIENT LAST NAME:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

PATIENT FIRST NAME:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

SECTION III: CLINICAL HISTORY (Continued)

7. Is the patient a candidate for hematopoietic stem cell transplant (HSCT), has not had HSCT, and does not have a willing, matched donor? Yes No
8. Will live vaccines be avoided during immunosuppression? Yes No
9. Does the patient have a history of hypersensitivity to dimethyl sulfoxide (DMSO) or dextran 40? Yes No
10. Has prophylactic therapy for seizures prior to myeloablative conditioning been considered for this patient? Yes No
11. Has the patient been screened and found negative for human immunodeficiency virus (HIV)? Yes No
12. Do you attest that the patient will be monitored periodically for hematologic malignancies? Yes No
13. Will the patient receive any of the following? Yes No
- Hydroxyurea for 2 or more months prior to mobilization and until all cycles of apheresis are completed (**Note:** If hydroxyurea is administered between mobilization and conditioning, discontinue 2 days prior to initiation of conditioning.)
 - Myelosuppressive iron chelators (e.g., deferiprone) for 7 days prior to mobilization, conditioning, and 6 months post-treatment
 - Disease-modifying agents (e.g., L-glutamine, voxelotor, crizanlizumab) for at least 2 months prior to mobilization
 - Prophylactic HIV anti-retroviral therapy (ART) (**Note:** Patients receiving prophylactic ART should stop therapy for 1 or more months prior to mobilization and until all cycles of apheresis are completed.)
 - Mobilization of stem cells using granulocyte-colony stimulating factor (G-CSF)
 - Erythropoietin for 2 or more months prior to mobilization

Fax to DHHS; medication is administered in inpatient setting:
Phone: 1-603-271-9384
Fax: 1-603-314-8101

© 2024 by Magellan Rx Management, LLC. All rights reserved.
Review Date: 07/01/2024





New Hampshire Medicaid Fee-for-Service Program Prior Authorization Drug Approval Form

Lyfgenia™ (lovotibeglogene autotemcel)

DATE OF MEDICATION REQUEST: / /

PATIENT LAST NAME:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

PATIENT FIRST NAME:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

SECTION III: CLINICAL HISTORY (Continued)

Please provide any additional information that would help in the decision-making process. If additional space is needed, please use a separate sheet.

I certify that the information provided is accurate and complete to the best of my knowledge and I understand that any falsification, omission, or concealment of material fact may subject me to civil or criminal liability.

PRESCRIBER'S SIGNATURE: _____ **DATE:** _____

Facility where infusion to be provided: _____

Medicaid Provider Number of Facility: _____

Fax to DHHS; medication is administered in inpatient setting:
Phone: 1-603-271-9384
Fax: 1-603-314-8101

